

Monday April 29, 2013 10:00:45

Source URL: <http://hastanerandevu.gov.tr/Vatandas/>

Source Title: MHRS

Accessibility Review (Guidelines: **WCAG 2.0 (Level AA)**) Report on known problems (34 found):

1.1 Text Alternatives: Provide text alternatives for any non-text content

Success Criteria 1.1.1 Non-text Content (A)

Check 1: img element missing alt attribute.

Repair: Add an alt attribute to your img element.

✘ **Line 238, Column 25:**

```

```

✘ **Line 240, Column 25:**

```

```

✘ **Line 271, Column 108:**

```

```

✘ **Line 285, Column 86:**

```

```

✘ **Line 510, Column 29:**

```

```

1.3 Adaptable: Create content that can be presented in different ways (for example simpler layout) without losing information or structure.

Success Criteria 1.3.1 Info and Relationships (A)

Check 57: input element, type of "text", missing an associated label.

Repair: Add a label element that surrounds the control's label. Set the for attribute on the label element to the same value as the id attribute of the control. And/or add a title attribute to the input element. And/or create a label element that contains the input element.

✖ Line 266, Column 29:

```
<input id="txtKey" name="txtKey" type="text"
      onkeypress="return ...
```

Check 121: input element, type of "radio", missing an associated label.

Repair: Add a label element that surrounds the control's label. Set the for attribute on the label element to the same value as the id attribute of the control. And/or add a title attribute to the input element. And/or create a label element that contains the input element.

✖ Line 548, Column 29:

```
<input type="radio" id="surveyChoice"
      name="surveyChoice"
```

...

✖ Line 555, Column 29:

```
<input type="radio" id="surveyChoice"
      name="surveyChoice"
```

...

✖ Line 562, Column 29:

```
<input type="radio" id="surveyChoice"
      name="surveyChoice"
```

...

✖ Line 569, Column 29:

```
<input type="radio" id="surveyChoice"
      name="surveyChoice"
```

...

✖ Line 576, Column 29:

```
<input type="radio" id="surveyChoice"
      name="surveyChoice"
```

...

Check 204: input element, type of "radio", has no text in label.

Repair: Add text to the input element's associated label that describes the purpose or function of the control.

✖ Line 548, Column 29:

```
<input type="radio" id="surveyChoice"
      name="surveyChoice"
```

...

✖ Line 555, Column 29:

```
<input type="radio" id="surveyChoice"
      name="surveyChoice"
```

...

✖

Line 562, Column 29:

```
<input type="radio" id="surveyChoice"
      name="surveyChoice"
```

...

✖ Line 569, Column 29:

```
<input type="radio" id="surveyChoice"
      name="surveyChoice"
```

...

✖ Line 576, Column 29:

```
<input type="radio" id="surveyChoice"
      name="surveyChoice"
```

...

Check 213: input element, type of "text", has no text in label.

Repair: Add text to the input element's associated label that describes the purpose or function of the control.

✖ Line 266, Column 29:

```
<input id="txtKey" name="txtKey" type="text"
      onkeypress="return ..."
```

Check 245: Data table with more than one row/column of headers does not use id and headers attributes to identify cells.

Repair: Add id and headers attributes to table cells so they identify the cells that relate to the headers.

✖ Line 439, Column 17:

```
<table width="650" border="0" cellspacing="0" cellpadding="0" style="font: normal 12px/16px Tahoma; ..."
```

1.4 Distinguishable: Make it easier for users to see and hear content including separating foreground from background.**Success Criteria 1.4.3 Contrast (Minimum) (AA)****Check 301: The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.**

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.

<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✖ Line 474, Column 9:

```
<th class="sortable-text">HABER BAŞLIĞI</th>
```

CSS rules for the element:

External CSS (<http://hastanerandevu.gov.tr/Vatandas/css/table.css>):

```
#tumhaber th.sortable-text{
```

```
    cursor:pointer;  
    background-color:#47AB8D;  
    padding:8px 12px 4px 16px;  
}
```

```
#tumhaber th{
```

```
    font:bold 10px/22px "Trebuchet MS", Verdana, Arial, Helvetica, sans-serif;
```

❌ **Line 475, Column 9:**

```
<th class="sortable-date-dmy">YAYIN TARİHİ</th>
```

CSS rules for the element:

External CSS (<http://hastanerandevu.gov.tr/Vatandas/css/table.css>):

```
#tumhaber th.sortable-date-dmy{
```

```
    cursor:pointer;  
    background-color:#47AB8D;  
    padding:8px 12px 4px 16px;  
}
```

```
#tumhaber th{
```

```
    font:bold 10px/22px "Trebuchet MS", Verdana, Arial, Helvetica, sans-serif;
```

2.4 Navigable: Provide ways to help users navigate, find content, and determine where they are.

Success Criteria 2.4.4 Link Purpose (In Context) (A)

Check 174: Anchor contains no text.

Repair: Add text to the a element or the title attribute of the a element or, if an image is used within the anchor, add Alt text to the image.

❌ **Line 248, Column 37:**

```
<a href="#" class="ara"></a>
```

❌ **Line 251, Column 37:**

```
<a href="#" class="ara"></a>
```

3.1 Readable: Make text content readable and understandable.

Success Criteria 3.1.1 Language of Page (A)

Check 48: Document language not identified.

Repair: For HTML documents add the lang attribute and a valid ISO-639-1 two letter language code to the opening HTML element. For XHTML documents add both the lang and xml:lang attributes with a valid ISO-639-1 two letter language code to the opening HTML element.

✖ Line 22, Column 1:

```
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<!--[if IE 9]>
<meta http- ...
```

Check 49: Document has invalid language code.

Repair: Add a valid 2 letter or 3 letter language code as defined in the ISO 639 specification to the HTML 'lang' attribute. For XHTML, both 'lang' and 'xml:lang' must be set.

✖ Line 22, Column 1:

```
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<!--[if IE 9]>
<meta http- ...
```

3.3 Input Assistance: Help users avoid and correct mistakes.

Success Criteria 3.3.2 Labels or Instructions (A)

Check 188: Label text is empty.

Repair: Add text to the label element.

✖ Line 266, Column 29:

```
<input id="txtKey" name="txtKey" type="text"
onkeypress="return ...
```

✖ Line 548, Column 29:

```
<input type="radio" id="surveyChoice"
name="surveyChoice"
```

...

✖ Line 555, Column 29:

```
<input type="radio" id="surveyChoice"
name="surveyChoice"
```

...

✖ Line 562, Column 29:

```
<input type="radio" id="surveyChoice"
name="surveyChoice"
```

...

✖ Line 569, Column 29:

```
<input type="radio" id="surveyChoice"
name="surveyChoice"
```

...



Line 576, Column 29:

```
<input type="radio" id="surveyChoice"  
      name="surveyChoice"
```

...

4.1 Compatible: Maximize compatibility with current and future user agents, including assistive technologies.**Success Criteria 4.1.1 Parsing (A)****Check 185: id attribute is not unique.**

Repair: Modify the id attribute value so it is unique.

❌ Line 233, Column 5:

```
<body>  
<div id="main">  
  <div id="header">  
    <div id="headerLeft" ...
```

Report on likely problems (0 found):

 **Congratulations! No likely problems.**

Report on potential problems (133 found):

1.3 Adaptable: Create content that can be presented in different ways (for example simpler layout) without losing information or structure.

Success Criteria 1.3.1 Info and Relationships (A)

Check 241: Tabular information may be missing table markup.

Line 233, Column 5:

```
<body>
<div id="main">
  <div id="header">
    <div id="headerLeft" ...
```

Check 248: Visual lists may not be properly marked.

Line 233, Column 5:

```
<body>
<div id="main">
  <div id="header">
    <div id="headerLeft" ...
```

Check 270: Unicode right-to-left marks or left-to-right marks may be required.

Line 233, Column 5:

```
<body>
<div id="main">
  <div id="header">
    <div id="headerLeft" ...
```

Check 271: dir attribute may be required to identify changes in text direction.

Line 233, Column 5:

```
<body>
<div id="main">
  <div id="header">
    <div id="headerLeft" ...
```

Check 125: input element label, type of "radio", is not positioned close to control.

Line 548, Column 29:

```
<input type="radio" id="surveyChoice"
      name="surveyChoice"
```

...

Line 555, Column 29:

```
<input type="radio" id="surveyChoice"
      name="surveyChoice"
```

...

Line 562, Column 29:

```
<input type="radio" id="surveyChoice"
      name="surveyChoice"
```


...

❖ **Line 569, Column 29:**
 <input type="radio" id="surveyChoice"
 name="surveyChoice"

...

❖ **Line 576, Column 29:**
 <input type="radio" id="surveyChoice"
 name="surveyChoice"

...

Check 211: input element label, type of "text", is not positioned close to control.

❖ **Line 266, Column 29:**
 <input id="txtKey" name="txtKey" type="text"
 onkeypress="return ...

Check 111: Table may require a summary.

❖ **Line 439, Column 17:**
 <table width="650" border="0" cellspacing="0" cellpadding="0" style="font: normal 12px/16px Tahoma; ...

❖ **Line 469, Column 1:**
 <table id="tumhaber" cellpadding="0" cellspacing="0"

class="sortable-onload-3 no-arrow rowst ...

Check 136: Data table may require th elements.

❖ **Line 283, Column 37:**
 <table width="600" border="0" cellspacing="0" cellpadding="0">
 ...

❖ **Line 309, Column 37:**
 <table width="600" border="0" cellspacing="0" cellpadding="0">
 ...

❖ **Line 339, Column 37:**
 <table width="600" border="0" cellspacing="0" cellpadding="0">
 ...

❖ **Line 379, Column 25:**
 <table width="650" border="0" cellspacing="0" cellpadding="0">
 <tr>

...

Check 137: Layout table may be misusing th elements.

❖ **Line 439, Column 17:**
 <table width="650" border="0" cellspacing="0" cellpadding="0" style="font: normal 12px/16px Tahoma; ...

❖ **Line 469, Column 1:**
 <table id="tumhaber" cellpadding="0" cellspacing="0"

class="sortable-onload-3 no-arrow rowst ...

Check 151: Data table may require a caption.



Line 439, Column 17:

<table width="650" border="0" cellspacing="0" cellpadding="0" style="font: normal 12px/16px Tahoma; ...

Line 469, Column 1:

<table id="tumhaber" cellpadding="0" cellspacing="0"
class="sortable-onload-3 no-arrow rowst ...

Check 230: Table may require thead, tfoot and tbody elements to group repeated table row structures.

Line 439, Column 17:

<table width="650" border="0" cellspacing="0" cellpadding="0" style="font: normal 12px/16px Tahoma; ...

Line 469, Column 1:

<table id="tumhaber" cellpadding="0" cellspacing="0"
class="sortable-onload-3 no-arrow rowst ...

Check 231: Table may require colgroup and col elements to group table columns.

Line 439, Column 17:

<table width="650" border="0" cellspacing="0" cellpadding="0" style="font: normal 12px/16px Tahoma; ...

Line 469, Column 1:

<table id="tumhaber" cellpadding="0" cellspacing="0"
class="sortable-onload-3 no-arrow rowst ...

Success Criteria 1.3.3 Sensory Characteristics (A)

Check 250: Text may refer to items by shape, size, or relative position alone.

Line 233, Column 5:

<body>
<div id="main">
<div id="header">
<div id="headerLeft" ...

Check 133: Layout table may not linearize.

Line 283, Column 37:

<table width="600" border="0" cellspacing="0" cellpadding="0">
...

Line 309, Column 37:

<table width="600" border="0" cellspacing="0" cellpadding="0">
...

Line 339, Column 37:

<table width="600" border="0" cellspacing="0" cellpadding="0">
...

Line 379, Column 25:

<table width="650" border="0" cellspacing="0" cellpadding="0">
<tr>

...

1.4 Distinguishable: Make it easier for users to see and hear content including separating foreground from background.

Success Criteria 1.4.1 Use of Color (A)

Check 14: Image may be using color alone.

Line 285, Column 86:

```

```

Line 240, Column 25:

```

```

Line 271, Column 108:

```

```

Line 285, Column 86:

```

```

Line 510, Column 29:

```

```

Check 55: input possibly using color alone.

Line 266, Column 29:

```
<input id="txtKey" name="txtKey" type="text"
  onkeypress="return ...
```

Line 548, Column 29:

```
<input type="radio" id="surveyChoice"
  name="surveyChoice"
```

...

Line 555, Column 29:

```
<input type="radio" id="surveyChoice"
  name="surveyChoice"
```

...

Line 562, Column 29:

```
<input type="radio" id="surveyChoice"
  name="surveyChoice"
```

...

Line 569, Column 29:

```
<input type="radio" id="surveyChoice"
  name="surveyChoice"
```

...

Line 576, Column 29:

```
<input type="radio" id="surveyChoice"
  name="surveyChoice"
```

...

Check 86: script may use color alone.

Line 36, Column 9:

```
<script type="text/javascript" src="js/jquery-1.5.1.min.js"></script>
```

Line 37, Column 9:

```
<script src="js/loopedslider.js" type="text/javascript" charset="utf-8">
```

</script>

Line 41, Column 9:

```
<script type="text/javascript" src="js/jquery-ui-1.8.14.custom.min.js"></script>
```

Line 47, Column 9:

```
<script src="js/jquery.easing.1.3.js"></script>
```

Line 48, Column 9:

```
<script src="js/slides.min.jquery.js"></script>
```

Line 52, Column 9:

```
<script src="js/jquery.colorbox.js"></script>
```

Line 54, Column 9:

```
<script type="text/javascript" src="js/tablesort.js"></script>
```



Line 55, Column 9:

```
<script type="text/javascript" src="js/paginate.js"></script>
```

Line 57, Column 9:

```
<script language="Javascript" src="js/FusionCharts.js"></script>
```

Line 108, Column 9:

```
<script>
```

```
if(window.location.href.indexOf(".tr") == -1 && window.location.href.indexOf("mhrsappde ...
```

Line 179, Column 9:

```
<script type="text/javascript">
```

```
function Search(PG){
```

```
var query = "co ...
```

Line 462, Column 1:

```
<script type="text/javascript">
```

```
//$("#contentTitle").html("Anket Listele");
```

```
</script>
```

Line 523, Column 9:

```
<script type="text/javascript" charset="utf-8">
```

```
$(function() {
```

```
$('#looo ...
```

Line 603, Column 9:

```
<script type="text/javascript">
```

```
var _gaq = _gaq || [];
```

```
_gaq.push(['_setA ...
```

2.1 Keyboard Accessible: Make all functionality available from a keyboard.

Success Criteria 2.1.1 Keyboard (A)

Check 89: script user interface may not be accessible.

Line 36, Column 9:

```
<script type="text/javascript" src="js/jquery-1.5.1.min.js"></script>
```

Line 37, Column 9:

```
<script src="js/loopedslider.js" type="text/javascript" charset="utf-8">
```

```
</script>
```

Line 41, Column 9:

```
<script type="text/javascript" src="js/jquery-ui-1.8.14.custom.min.js"></script>
```

Line 47, Column 9:

```
<script src="js/jquery.easing.1.3.js"></script>
```



Line 48, Column 9:

```
<script src="js/slides.min.jquery.js"></script>
```

Line 52, Column 9:

```
<script src="js/jquery.colorbox.js"></script>
```

Line 54, Column 9:

```
<script type="text/javascript" src="js/tablesort.js"></script>
```

Line 55, Column 9:

```
<script type="text/javascript" src="js/paginate.js"></script>
```

Line 57, Column 9:

```
<script language="Javascript" src="js/FusionCharts.js"></script>
```

Line 108, Column 9:

```
<script>
```

```
if(window.location.href.indexOf(".tr") == -1 && window.location.href.indexOf("mhrsappde ...
```

Line 179, Column 9:

```
<script type="text/javascript">
```

```
function Search(PG){
  var query = "co ...
```

Line 462, Column 1:

```
<script type="text/javascript">
```

```
//$("#contentTitle").html("Anket Listele");
```

```
</script>
```

Line 523, Column 9:

```
<script type="text/javascript" charset="utf-8">
```

```
$(function() {
  $('#looo ...
```

Line 603, Column 9:

```
<script type="text/javascript">
```

```
var _gaq = _gaq || [];
_gaq.push(['_setA ...
```

2.3 Seizures: Do not design content in a way that is known to cause seizures.

Success Criteria 2.3.1 Three Flashes or Below Threshold (A)

Check 87: script may cause screen flicker.

Line 36, Column 9:

```
<script type="text/javascript" src="js/jquery-1.5.1.min.js"></script>
```

Line 37, Column 9:

```
<script src="js/loopedslider.js" type="text/javascript" charset="utf-8">
```

</script>

Line 41, Column 9:

<script type="text/javascript" src="js/jquery-ui-1.8.14.custom.min.js"></script>

Line 47, Column 9:

<script src="js/jquery.easing.1.3.js"></script>

Line 48, Column 9:

<script src="js/slides.min.jquery.js"></script>

Line 52, Column 9:

<script src="js/jquery.colorbox.js"></script>

Line 54, Column 9:

<script type="text/javascript" src="js/tablesort.js"></script>

Line 55, Column 9:

<script type="text/javascript" src="js/paginate.js"></script>

Line 57, Column 9:

<script language="Javascript" src="js/FusionCharts.js"></script>

Line 108, Column 9:

<script>

if(window.location.href.indexOf(".tr") == -1 && window.location.href.indexOf("mhrsappde ...

Line 179, Column 9:

<script type="text/javascript">

function Search(PG){
var query = "co ...

Line 462, Column 1:

<script type="text/javascript">

//\$("#contentTitle").html("Anket Listele");

</script>

Line 523, Column 9:

<script type="text/javascript" charset="utf-8">

\$(function() {
\$('#loos ...

Line 603, Column 9:

<script type="text/javascript">

var _gaq = _gaq || [];
_gaq.push(['_setA ...

2.4 Navigable: Provide ways to help users navigate, find content, and determine where they are.

Success Criteria 2.4.1 Bypass Blocks (A)**Check 28: Document may be missing a "skip to content" link.****Line 233, Column 5:**

```
<body>
<div id="main">
  <div id="header">
    <div id="headerLeft" ...
```

Check 262: Groups of links with a related purpose are not marked.**Line 233, Column 5:**

```
<body>
<div id="main">
  <div id="header">
    <div id="headerLeft" ...
```

Success Criteria 2.4.2 Page Titled (A)**Check 54: title might not describe the document.****Line 34, Column 9:**

```
<title>MHRS</title>
```

Success Criteria 2.4.4 Link Purpose (In Context) (A)**Check 19: Link text may not be meaningful.****Line 246, Column 37:**

```
<a href="index.jsp" class="item">anasayfa</a>
```

Line 253, Column 37:

```
<a href="content.jsp?Islem=IcerikGoster&Id=BD%2FDNkcss3PMnfku1kbgNA%3D%3D" class="item">sağlık
```

...

Line 271, Column 25:

```
<a href="javascript:void(0)" onclick="Search('nbFxejcwlnfVbNyi%2BbQ%2B8A%3D%3D');"><img
```

...

Line 300, Column 62:

```
<a
      href='contentVatandas.jsp?Islem=Haber&Id=bno ...
```

Line 330, Column 62:

```
<a
      href='contentVatandas.jsp?Islem=Haber&Id=yNg ...
```

Line 366, Column 62:

```
<a
      href='contentVatandas.jsp?Islem=Haber&Id=VnG ...
```

Line 384, Column 45:

```
<a href="#">1</a>
```

Line 387, Column 45:

2

❖ **Line 390, Column 45:**

3

❖ **Line 395, Column 65:**

<a

href="contentVatandas.jsp?Islem=HaberArsivi" class="habe ...

❖ **Line 417, Column 29:**

SSS

❖ **Line 423, Column 29:**

Anket

❖ **Line 427, Column 29:**

Bize Ulaşın

❖ **Line 430, Column 25:**

...

❖ **Line 482, Column 13:**

<a href='contentVatandas.jsp?Islem=Haber&Id=ywEmdmG1%2B2Cd%2BOKp4rKLA%3D%3D'
title= ...

❖ **Line 490, Column 13:**

<a href='contentVatandas.jsp?Islem=Haber&Id=1MVogkHxc%2Bw5CFKuH0kN6w%3D%3D'
title="h ...

❖ **Line 498, Column 13:**

<a href='contentVatandas.jsp?Islem=Haber&Id=DM2p6HgasPGdlAsKqBw6dw%3D%3D'
title="hab ...

❖ **Line 541, Column 29:**

Sağlık Bakanlığı'nın Hastane Randevu Merkezi hizmetinden memnun musunuz?

❖ **Line 581, Column 30:**

<a href="javascript:void(0);" class="anketBtn"
onclick="Vote('rAVwWb ...

Check 197: Anchor text may not identify the link destination.

❖ **Line 246, Column 37:**

anasayfa

❖ **Line 253, Column 37:**

sağlık

...

❖ **Line 271, Column 25:**

<img

...

❖ **Line 300, Column 62:**

```
<a  
    href='contentVatandas.jsp?Islem=Haber&Id=bno ...
```

◆ **Line 330, Column 62:**

```
<a  
    href='contentVatandas.jsp?Islem=Haber&Id=yNg ...
```

◆ **Line 366, Column 62:**

```
<a  
    href='contentVatandas.jsp?Islem=Haber&Id=VnG ...
```

◆ **Line 384, Column 45:**

```
<a href="#">1</a>
```

◆ **Line 387, Column 45:**

```
<a href="#">2</a>
```

◆ **Line 390, Column 45:**

```
<a href="#">3</a>
```

◆ **Line 395, Column 65:**

```
<a  
    href="contentVatandas.jsp?Islem=HaberArsivi" class="habe ...
```

◆ **Line 417, Column 29:**

```
<a class="b09" href='contentVatandas.jsp?Islem=SSSHepsi'>SSS</a>
```

◆ **Line 423, Column 29:**

```
<a href="javascript:void(0);" id="anket" class="b07">Anket  
</a>
```

◆ **Line 427, Column 29:**

```
<a href="javascript:void(0);" id="bizeulasin" class="b05">Bize Ulaşın</a>
```

◆ **Line 430, Column 25:**

```
<a href="http://hastanerandevu.gov.tr/Randevu" style="cursor: pointer;" target="_blank" >
```

...

◆ **Line 482, Column 13:**

```
<a href='contentVatandas.jsp?Islem=Haber&Id=ywEmdmG1%2B2Cd%2BOKp4rRKL%3D%3D'  
title= ...
```

◆ **Line 490, Column 13:**

```
<a href='contentVatandas.jsp?Islem=Haber&Id=1MVogkHxc%2Bw5CFKuH0kN6w%3D%3D'  
title="h ...
```

◆ **Line 498, Column 13:**

```
<a href='contentVatandas.jsp?Islem=Haber&Id=DM2p6HgasPGdIAsKqBw6dw%3D%3D'  
title="hab ...
```

◆ **Line 541, Column 29:**

```
<a href="#">Sağlık Bakanlığı'nın Hastane Randevu Merkezi hizmetinden memnun musunuz?</a>
```


◆ **Line 581, Column 30:**

```
<a href="javascript:void(0);" class="anketBtn"
```

onclick="Vote('rAVwWb ...

Success Criteria 2.4.5 Multiple Ways (AA)


Check 184: Site missing site map.

 **Line 233, Column 5:**

```
<body>
<div id="main">
  <div id="header">
    <div id="headerLeft" ...
```

Success Criteria 2.4.6 Headings and Labels (AA)

Check 44: h3 may be used for formatting.


 **Line 540, Column 25:**

```
<h3>
  <a href="#">Sağlık Bakanlığı'nın Hastane Randevu Merkezi hiz ...
```

3.2 Predictable: Make Web pages appear and operate in predictable ways.

Success Criteria 3.2.3 Consistent Navigation (AA)


Check 276: Repeated components may not appear in the same relative order each time they appear.

 **Line 233, Column 5:**

```
<body>
<div id="main">
  <div id="header">
    <div id="headerLeft" ...
```

Success Criteria 3.2.4 Consistent Identification (AA)

Check 131: Long quotations may not be marked using the blockquote element.

 **Line 233, Column 5:**

```
<body>
<div id="main">
  <div id="header">
    <div id="headerLeft" ...
```